

Applicant : William H. Shepard et al.  
Serial No. : 09/322,663  
Filed : May 28, 1999  
Page : 3

Attorney's Docket No.: 05918-133001 / 4101

Remarks


Responsive to the action mailed March 29, 2001, applicants elect Group I, drawn to a laminated loop fabric. The election is made without traverse.

After entry of the above amendment, the claims corresponding to this elected Group include claims 1-4, 6-7, 9, 11-21 and 24-34. No new material has been introduced.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: April 29, 2001

  
James W. Babineau  
Reg. No. 42,276

Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110-2804  
Telephone: (617) 542-5070  
Facsimile: (617) 542-8906

**Version with markings to show changes made**

1. (Amended) A laminate comprising  
a substrate having at least one broad surface, and  
a layer of hook-engageable non-woven material having a basis weight of less than  
about 4 ounces per square yard and comprising a generally sheet-form web body having a first  
surface laminated to said at least one outer broad surface of the substrate and a second surface  
from which hook-engageable fibers or yarns extend; and  
a graphic design printed at least partially upon the non-woven material.

6. (Amended) The laminate of claim 1 wherein the [material is a] non-woven  
material [that] has substantially varied areal density of fibers over its surface.

9. (Amended) The laminate of claim 1 [further comprising a] wherein the graphic  
design [printed upon a surface of the laminate and] is disposed to be visible by viewing said  
second surface of the web body from which the hook-engageable fibers or yarns extend.

11. (Amended) The laminate of claim [6 having an] 1 wherein said graphic design  
comprises an image printed on the second side of the non-woven material, from which the hook-  
engageable fibers extend, wherein an image visible from the surface of the material comprises  
the effects of light reflected by printing on said second surface of the material and light reflected  
by printing on said hook-engageable fibers.

24. [A] In a corrugated board comprising  
a first outer layer,  
a second outer layer, and  
a core comprising at least one middle corrugated layer, wherein the first and second  
outer layers are laminated to the core, [and] the improvement in which  
wherein at least one of the outer layers [comprises or is laminated to] consists of a  
hook-engageable material having a generally sheet-form web body attached directly to said  
corrugated layer, said web body having an outer surface from which hook-engageable fibers or  
yarns extend.

Applicant : William H. Shepard et al.  
Serial No. : 09/322,663  
Filed : May 28, 1999  
Page : 5

Attorney's Docket No.: 05918-133001 / 4101

25. (Amended) The corrugated board of claim 24 wherein said hook-engageable material [is a hook-engageable material having] has a basis weight of less than about 4 ounces per square yard.